

SkamoAlu BB-Block, SkamoAlu BF-Block, SkamoAlu BB-Filler, SkamoAlu Hipor, SkamoAlu Hiporos, SkamoAlu M-Extra, SkamoAlu M-Bir, SkamoAlu Poros, SkamoAlu Supra, SkamoAlu Aggregate Biosilica

SECTION 1: Identification

1.1. Product identifier used on the label

Trade name: SkamoAlu BB-Block, SkamoAlu BF-Block, SkamoAlu BB-Filler, SkamoAlu Hipor, SkamoAlu

Hiporos, SkamoAlu M-Extra, SkamoAlu M-Bir, SkamoAlu Poros, SkamoAlu Supra,

SkamoAlu Aggregate Biosilica

1.2. Recommended use of the chemical and restrictions on use

Recommended uses: Technical insulation.

1.3. Details of the supplier of the safety data sheet

Supplier

Company: Skamol Group

Address: Hasselager Centervej 1

 Zip code:
 8260

 City:
 Viby J

 Country:
 DENMARK

 E-mail:
 info@skamol.com

 Phone:
 +45 97 72 15 33

1.4. Emergency phone number

+45 97 72 15 33 (Skamol Group)

SECTION 2: Hazard(s) identification

2.1. Classification of the chemical in accordance with paragraph (d) of §1910.1200

HazCom classification: The product shall not be classified as hazardous according to the classification and

labeling rules for substance and mixtures.

Most serious harmful effects: Handling of the product causes risk of dust formation, which may irritate nose and throat.

May cause slight irritation to the skin and eyes.

2.2. Label elements

The product shall not be classified as hazardous according to the classification and labeling rules for substance and mixtures.

2.3. Other hazards which do not result in classification

Endocrine disrupting properties: None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Contains no substances subject to reporting requirements.

SECTION 4: First-aid measures

4.1. Description of first aid measures



SkamoAlu BB-Block, SkamoAlu BF-Block, SkamoAlu BB-Filler, SkamoAlu Hipor, SkamoAlu Hiporos, SkamoAlu M-Extra, SkamoAlu M-Bir, SkamoAlu Poros, SkamoAlu Supra, SkamoAlu Aggregate Biosilica

Inhalation: Seek fresh air, wash out mouth with water and blow nose thoroughly. Seek medical advice

in case of persistent discomfort.

Ingestion: Wash out mouth thoroughly and drink 1-2 glasses of water in small sips. Seek medical

advice in case of persistent discomfort.

Skin contact: Remove contaminated clothing. Wash the skin with water. Seek medical advice in case of

persistent discomfort.

Eye contact: Flush with water (preferably using eye wash equipment) until irritation subsides. Seek

medical advice if symptoms persist.

General: Bring the safety data sheet or label when seeking medical advice.

4.2. Most important symptoms/effects, acute and delayed.

Inhalation of dust may cause irritation to the upper airways. May cause slight irritation to the skin and eyes.

4.3. Indication of immediate medical attention and special treatment needed, if necessary.

Treat symptoms. No special immediate treatment required.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media.

Suitable extinguishing media: The product is not directly flammable. Choose extinguishing agents based on the

surrounding fire. Use water or water mist to cool non-ignited stock.

Unsuitable extinguishing

media:

Do not use a jet of water, as it may spread the fire.

5.2. Specific hazards arising from the chemical

The product is not directly flammable. Avoid inhalation of vapor and smoke gases - seek fresh air.

5.3. Special protective equipment and precautions for fire-fighters.

Move containers from danger area if it can be done without risk. Avoid inhalation of vapor and smoke gases - seek fresh air. Wear Self-Contained Breathing Apparatus (SCBA) with chemical resistant gloves.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Wear gloves. Wear safety goggles if there is a risk of dust contact with eyes.

For emergency responders: In addition to the above: Normal protective clothing is recommended.

6.2. Environmental precautions

Prevent spillage from entering drains and/or surface water.

6.3. Methods and material for containment and cleaning up

Sweep up/collect spills for possible reuse or transfer to suitable waste containers.

6.4. Reference to other sections

See section 8 for type of protective equipment. See section 13 for instructions on disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling



SkamoAlu BB-Block, SkamoAlu BF-Block, SkamoAlu BB-Filler, SkamoAlu Hipor, SkamoAlu Hiporos, SkamoAlu M-Extra, SkamoAlu M-Bir, SkamoAlu Poros, SkamoAlu Supra, SkamoAlu Aggregate Biosilica

Running water and eye wash equipment must be available. Wash hands before breaks, before using restroom facilities, and at the end of work.

7.2. Conditions for safe storage, including any incompatibilities

The product should be stored safely, out of reach of children and away from food, animal feeding stuffs, medicines, etc.

7.3. Specific end use(s)

None. See the technical data sheet for specific use instructions.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit

Substance name	Time period	ppm	mg/m³	fiber/cm3	Remarks	Notations
Mineral dust	-		15		OSHA: Inert or Nuisance Dust, Total dust	
Mineral dust	-		5		OSHA: Inert or Nuisance Dust, Respirable fraction	
Mineral dust	-		10		ACGIH: Particles Not Otherwise Specified (PNOS), Inhalable particles	
Mineral dust	-		3		ACGIH: Particles Not Otherwise Specified (PNOS), Respirable particles	

Compliance with the stated occupational exposure limits may be checked by occupational Measuring methods:

hygiene measurements measurements according to NIOSH/OSHA.

Legal basis: ACGIH Threshold Limit Values (TLV's) and Biological Exposure Indices (BEI's), 2023.

OSHA 29 CFR part 1910.1000, table Z1-Z3, Limits for Air Contaminants 2006.

8.2. Exposure controls

Appropriate engineering

controls:

Wear the personal protective equipment specified below. Work processes where

generation of dust may occur must be performed under effective process ventilation (e.g.

local exhaust ventilation).

eye/face protection:

Personal protective equipment. Wear safety goggles if there is a risk of dust contact with eyes.

Personal protective equipment, Plastic or rubber gloves recommended.

hand protection:

Personal protective equipment, Wear respiratory protective equipment with P2 filter when performing dusty work. respiratory protection:



SkamoAlu BB-Block, SkamoAlu BF-Block, SkamoAlu BB-Filler, SkamoAlu Hipor, SkamoAlu Hiporos, SkamoAlu M-Extra, SkamoAlu M-Bir, SkamoAlu Poros, SkamoAlu Supra, SkamoAlu Aggregate Biosilica

Environmental exposure controls:

Ensure compliance with local regulations for emissions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

9.1. Information on basic physical and chemical properties							
Parameter	Value/unit						
physical state	Porous bricks/blocks.						
Color	Reddish brown						
dour No data							
Solubility	Solubility in water: Insoluble						
Parameter	Value/unit	Remarks					
Odour threshold	No data						
Melting point	1300 - 1350 °C	2372 - 2462 °F					
Freezing point	No data						

Parameter	Value/unit	Remarks
Odour threshold	No data	
Melting point	1300 - 1350 °C	2372 - 2462 °F
Freezing point	No data	
Initial boiling point and boiling range	No data	
Flammability (solid, gas)	No data	
Upper/lower flammability limits	No data	
Explosion limits	No data	
Flash Point	No data	
Auto-ignition temperature	No data	
Decomposition temperature	No data	
pH (solution for use)	No data	
pH (concentrate)	No data	
Kinematic viscosity	No data	
Viscosity	No data	
Partition coefficient n-octanol/water	No data	
Vapour pressure	No data	
Density	No data	
Relative density	2.35	
Vapor density	No data	
Relative density (sat. air)	No data	
Particle characteristics	No data	

9.2. Other information

Other Information: Bulk density: 525-950 g/ml

SECTION 10: Stability and reactivity

10.1. Reactivity

Not reactive.

10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

10.3. Possibility of hazardous reactions

None known.



SkamoAlu BB-Block, SkamoAlu BF-Block, SkamoAlu BB-Filler, SkamoAlu Hipor, SkamoAlu Hiporos, SkamoAlu M-Extra, SkamoAlu M-Bir, SkamoAlu Poros, SkamoAlu Supra, SkamoAlu Aggregate Biosilica

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

None known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral: Ingestion of large quantities may cause discomfort. The product does not have to be

classified. Test data are not available.

Acute toxicity - dermal: The product does not have to be classified. Test data are not available.

Acute toxicity - inhalation: The product does not have to be classified. Test data are not available.

Skin corrosion/irritation: May irritate the skin - may cause reddening. The product does not have to be classified.

Test data are not available.

Serious eye damage/eye

irritation:

Temporary irritation. The product does not have to be classified. Test data are not available.

Respiratory sensitization or

skin sensitization:

The product does not have to be classified. Test data are not available.

Germ cell mutagenicity: The product does not have to be classified. Test data are not available.

Carcinogenic properties: This product does not contain any carcinogens or potential carcinogens at reportable

quantities as listed by OSHA, IARC or NTP. The product does not have to be classified.

Test data are not available.

Reproductive toxicity: The product does not have to be classified. Test data are not available.

Single STOT exposure: Inhalation of dust may cause irritation to the upper airways. The product does not have to

be classified. Test data are not available.

Repeated STOT exposure: The product does not have to be classified. Test data are not available.

Aspiration hazard: The product does not have to be classified. Test data are not available.

11.2. Information on other hazards

Endocrine disrupting

properties:

No known data.

Other toxicological effects: None known.

SECTION 12: Ecological information

12.1. Ecotoxicity

The product does not have to be classified. Test data are not available.



SkamoAlu BB-Block, SkamoAlu BF-Block, SkamoAlu BB-Filler, SkamoAlu Hipor, SkamoAlu Hiporos, SkamoAlu M-Extra, SkamoAlu M-Bir, SkamoAlu Poros, SkamoAlu Supra, SkamoAlu Aggregate Biosilica

12.2. Persistence and degradability

Test data are not available.

12.3. Bioaccumulative potential

Test data are not available.

12.4. Mobility in soil

Test data are not available.

12.5. Results of PBT and vPvB assessment

The product does not contain any PBT or vPvB substances.

12.6. Endocrine disrupting properties

No known data.

12.7. Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Avoid unnecessary release to the environment. If this product as supplied becomes a waste, it does not meet the criteria of a hazardous waste as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261.

SECTION 14: Transport information

14.1. UN number:

Not applicable.

14.4. Packing group:

Not applicable.

14.2. UN proper shipping

Not applicable.

14.5. Environmental

hazards:

Not applicable.

name:

14.3. Transport hazard

Not applicable.

class(es):

14.6. Special precautions which a user needs to be aware of, or needs to comply with, in connection with transport or conveyance either within or outside their premises.

None

14.7. Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code)

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations specific for the product in question

Special Provisions: None. There might be additional regional and local laws and regulations, which may be

more stringent than national requirements.

15.2. Chemical Safety Assessment

Other Information: Chemical safety assessment has not been performed.

SECTION 16: Other information

Copyright © 1995 - 2023 DGOffice B.V., www.DGOffice.net



SkamoAlu BB-Block, SkamoAlu BF-Block, SkamoAlu BB-Filler, SkamoAlu Hipor, SkamoAlu Hiporos, SkamoAlu M-Extra, SkamoAlu M-Bir, SkamoAlu Poros, SkamoAlu Supra, SkamoAlu Aggregate Biosilica

Version history and indication of changes

Version	Revision date	Responsible	Changes
1.4.0	11/7/2023	Bureau Veritas HSE/SUJ	7,8,15,16

Abbreviations: PBT: Persistent, Bioaccumulative and Toxic

STOT: Specific Target Organ Toxicity

vPvB: Very Persistent and Very Bioaccumulative

Other Information: This safety data sheet has been prepared for and applies to this product only. It is based on

our current knowledge and the information that the supplier was able to provide about the product at the time of preparation. The safety data sheet complies with applicable law on

preparation of safety data sheets in accordance with CFR29, §1910.1200.

Training advice: A thorough knowledge of this safety data sheet should be a prerequisite condition.

Revision date: 11/7/2023

Replaces date: 12/22/2022

Classification method: Calculation based on the hazards of the known components.

SDS is prepared by

Company: Bureau Veritas HSE Denmark A/S

Address: Oldenborggade 25-31

Zip code: 7000
City: Fredericia
Country: DENMARK

E-mail: infohse@bureauveritas.com

Phone: +45 77 31 10 00 Homepage: www.bureauveritas.dk

Country: US